

PASSION FOR WHAT WE DO



KÖMMERLING

GERMAN uPVC WINDOW & DOOR SYSTEMS

HISTORY MAKES THE FUTURE

Today, the company founded by Karl Kömmerling in 1897 is a strong brand of the profine group and its products are supplied in over 60 countries of the world.

KÖMMERLING has an outstanding reputation for high quality and advanced technologies. It has set itself the goal of manufacturing window and door profiles for demanding applications, while equally focussing on aesthetic aspects. The brand aims to deliver the highest technical and physical performance values, together with an extremely long service life and minimal care and servicing requirements.

1897
Company
founded by Karl
Kömmerling

1967
Manufacture
of uPVC
window profiles
and sheets

1952
Start-up of
uPVC products
manufacture

2013
uPVC profiles
manufacturing
begins in India



“As an owner-managed company, our aim is to develop in a sustainable and growth-led manner. For us, the customer is at the heart of everything.

The distinctive profine approach rests on attention to quality, innovative strength, customer-led production and service, efficient processes and an awareness of our responsibilities.

Striving for all-round excellence is what drives us, day in and day out. Our skilled and highly motivated employees are the foundation of our success – as are the close partnerships we maintain with our customers.

We are convinced that with these strong values we will achieve our goal: we want to be the world leader in brand profiles and sheet systems.”

Dr. Peter Mrosik,
Owner and CEO
profine GmbH
International Profile Group



KÖMMERLING®



LEADING EDGE BREAKTHROUGHS

HIGH WIND LOAD PERFORMANCE

KÖMMERLING'S high wind load performance can bring you calm days even during typhoons. The installation of KÖMMERLING windows in high buildings has been very successful.

SOUND INSULATION

The noise levels especially in areas with heavy traffic (e.g. near airports) can be considerably decreased by combining the uPVC profiles with specially insulating glass panes.

AIR TIGHTNESS

Scientific design of KÖMMERLING window systems avoids the penetration of outdoor air, thus keeping the home dust free.

WATER TIGHTNESS

KÖMMERLING uPVC windows do not allow any water leakage, no matter how heavy the rainstorm is. Even on the coastline, they have proven their absolute effectiveness.

LONG LIFE & LOW MAINTENANCE

KÖMMERLING uPVC windows do not draw any maintenance costs. They do not rot or corrode even in tropical and coastal weather conditions. KÖMMERLING profiles require minimal maintenance to keep frames in top condition.

DESIGNED FOR EXTREME WEATHER CONDITIONS

KÖMMERLING uPVC profiles are subject to extreme weather conditions viz. extensive cold, salty sea air, long storm periods and intensive exposure to sunlight. The highly developed KÖMMERLING material compound Komalit-Z is a high impact resistance material, specially made for tropical climates.

SECURITY

KÖMMERLING uPVC windows with intelligent multi-point locking systems, offer superior security.

THERMAL INSULATION


KÖMMERLING windows have been tried and tested in tropical and cold areas. Outstanding thermal insulation distinctly realises a lot of energy saving, both in cold and warm weather.



CUTTING-EDGE SYSTEMS CONSIDERED THE BEST THE WORLD OVER

GOLD ASEA SYSTEM

- A universal system to make outward opening and inward opening windows.
- Compatible glazing and gasket structure accepts glass from 5 to 24 mm.
- Pre-positioned thermal chamber gives excellent insulation.
- Unique design of T-style transom can realize the ideal joint in both welding and mechanical coupling.
- Co-extruded glazing bead with lips tightens the sealing and ease the assembly work.



GOLD ASEA GRILL MESH CASEMENT SYSTEM

- An appropriate option for Burglar-proof Window System with metal grill and mosquito net provision.
- Both sashes have strong locking system to enhance security.
- Profiles with 6 chambers give excellent thermal insulation.
- Frame with 3 strong galvanized steel reinforcement.
- Accepts glass thickness from 5 to 24 mm.


PROVENT SYSTEM

- Slim but highly reliable, functional, 3-chambered profile.
- Economical and unique casement series for outward open windows.
- Accepts glass thicknesses from 5 to 20 mm.
- Steel reinforcement for maximum structural performance, security and durability.
- Multiple use of sash profile can be used as transom or mullion.



SYSTEM ORTA

- A very successful horizontal sliding system comprises of both window and door sashes making the system more economical.
- Accepts glass thicknesses from 5 to 20 mm.
- 4 frames are available from one system to meet various demands.
- Slope rebate of frame assists in draining out water quickly.
- Co-extruded glazing bead with lips tightens the sealing and ease the assembly work.
- Provision of mosquito net.



SYSTEM ORTA PLUS

- Economical and unique multi-chambered sliding window and door system.
- Stronger, more energy efficient system.
- Mono track and fixed frame.
- 2 frame system (without reinforcement) to meet various demands.
- Slope rebate of frame assists to drain out water quickly.
- Co-extruded glazing bead with lips tightens the sealing, ease working on assembly and increase productivity.
- Provision of mosquito net.

SYSTEM SF2

- Mainly used for big size partition doors or big windows in rigorous surroundings, high rise buildings, designed for higher wind loads.
- It is considered to be the strongest sliding system in the field.
- 2.8 mm wall thickness makes it unique among the profiles available.
- Accepts glass thicknesses from 5 mm up to 24 mm.
- Possibility of additional tracks.
- Provision of mosquito net.




LIFT AND SLIDE DOOR SYSTEM



- Excellent performance sliding door system.
- Installation width of frame 174 mm and the door sash of 62 mm.
- Strong and sturdy sash with 2.8 mm wall thickness.
- Accepts glass thickness from 12 mm to 36 mm.
- Unique solution of aluminium threshold allows barrier-free access.
- Maximum wind pressure withstanding capability.
- Multipoint locking function enhances the safety performance.
- Sliding system with gasket to achieve maximum airtightness.

TILT AND TURN WINDOW AND DOOR SYSTEM

- 58 mm Tilt and Turn window or door system.
- 3 mm wall thickness brings remarkable strength.
- Pre-positioned thermal chamber gives excellent insulation.
- Slope rebate helps to drain out water.
- 4 side locking system to enhance higher security.



SLIDE AND FOLD DOOR SYSTEM



- All door sashes can be folded to save space and pushed to the side.
- Slide and Fold doors offer generous and barrier free access to terraces, conservatories, conference rooms, wherever needed.
- Being equally suited to use as room dividers in hotels and catering establishments, Slide and Fold doors are also being increasingly used in homes.
- By using an aluminium threshold we can minimize the bottom frame height upto the floor level.

FOCUS ON AESTHETICS

Windows and Doors are available in Woodgrain and Grey laminates.


Woodgrain finish bestows a friendly, natural and aesthetic look to buildings, which feels like natural wood. On the other hand Grey colour laminate give your interior/ exterior modern look and can easily blend with the architecture of your building. Combine these high quality surface structures to your personal taste and style for windows and doors that are designed to blend into the interiors as well. All surfaces are extremely weather resistant, ultra-impact resistant and easy to clean.




LAMINATION RANGE




Dark Oak
(Eiche Dunkel)




Mahogany
(Mahagoni)



Walnut V
(Nussbaum V)



Golden Oak
(Golden Oak)



Anthracite Grey
(Anthrazitgrau)

FEEL THE CLASS IN EVERY TOUCH

Koemmerling Handles

KOEMMERLING range of Handles for casement and sliding uPVC windows and doors is an epitome of class and elegance with unmatched quality. The engineering behind these handles make them easy to operate, smooth and durable. Koemmerling Handles complies with DIN EN-13126-3:2012-2, EN 1191 and ASTM B117-85 Standards. The handles are available in white & brown colours to compliment the Koemmerling windows & doors at your home.



CASEMENT HANDLE



CASEMENT HANDLE
WITH KEY



SLIDING HANDLE



SHORT NECK
HANDLE



POP UP HANDLE



TOUCH LOCK
HANDLE

TURNING OUR VISION INTO REALITY

KÖMMERLING is proud to be a part of your life. Our uPVC windows and doors have proved their functional, aesthetic and qualitative credentials over the wide spectrum of residential, commercial, industrial and institutional requirements.



The world of profine



profine India Window Technology Pvt. Ltd.

Registered & Corporate Office:

501, 5th Floor, Kailash Building,
26, K.G. Marg, New Delhi 110 001, India
Phone: (+91) 11 42368600
E-Mail: info.india@profine-group.com
www.koemmerling.co.in

Works & Warehouse:

Plot No. 731/A, Savli Industrial Area, Manjusar GIDC,
Vadodara 391775, Gujarat, India

Head Quarters:

profine GmbH
Mülheimer Strasse 26, 53840 Troisdorf, Germany
www.profine-group.com

